



RESOLUTION

RESOLUTION REQUESTING THE CITY ADMINISTRATION TO UPGRADE THE CITY'S WASTEWATER SYSTEM TO ADDRESS SEWER CAPACITY PROBLEMS, GIVING PRIORITY TO THOSE RESIDENTIAL COMMUNITIES IN WHICH ACCESSORY DWELLING UNIT BUILDING PERMITS HAVE BEEN DENIED BECAUSE OF INADEQUATE SEWERAGE INFRASTRUCTURE.

WHEREAS, Ordinance 15-41, enacted on September 14, 2015, was a key component of the Mayor's islandwide housing initiative, and was intended to produce affordable rental housing by allowing Oahu residential property owners to build a small rental unit, known as an accessory dwelling unit ("ADU") on their property; and

WHEREAS, an ADU is a second smaller housing unit with a separate entry, kitchen, and bathroom, either attached to or detached from the main dwelling, which may be rented out to either family members or outside parties for minimum lease terms of six months; and

WHEREAS, the minimum lot size that qualifies for an ADU is 3,500 square feet, and the maximum floor area for an ADU is 400 square feet for smaller zoning lots between 3,500 and 5,000 square feet, while the maximum floor area for an ADU is 800 square feet for zoning lots larger than 5,000 square feet; and

WHEREAS, ADUs are only allowed in areas where wastewater, water, and transportation facilities are adequate to support ADUs, and applicants for an ADU building permit must obtain written confirmation from the City agencies managing sewage, water, and access roadways that the infrastructure is sufficient to support the additional ADU; and

WHEREAS, Ordinance 16-19, enacted on July 21, 2016, was intended to provide incentives for residential property owners to construct ADUs on their property, and established a two-year period during which ADU building permit applicants would receive waivers from park dedication requirements, and from certain fees such as: wastewater system facility charges; plan review and building permit fees; and grading, grubbing, and stockpiling permit fees; and

WHEREAS, in order to expedite the ADU permitting process, Ordinance 16-19 also required the Department of Planning and Permitting ("DPP") to act on an ADU building permit application within 60 days after receipt of a complete application containing all required information, and if the DPP did not take action within that time it would result in automatic approval of the application; and



RESOLUTION

WHEREAS, some residential property owners have been denied ADU building permits because of insufficient infrastructure, primarily inadequate sewer capacity, and in response, Ordinance 17-30, enacted on June 28, 2017, extended by two years the period of time that the ADU incentives established in Ordinance 16-19 would remain in effect; and

WHEREAS, residential property owners have complained that their ADU building permit applications were denied after the Department of Environmental Services began using a more sophisticated wastewater flow model, which identified additional capacity problems requiring wastewater system upgrades; and

WHEREAS, it appears that the City Administration has been aware of infrastructure adequacy problems, particularly sewer capacity issues in Oahu residential communities since at least 1999, when the ordinance allowing ohana units was enacted to encourage and accommodate extended family living; and

WHEREAS, progress to increase the City's sewer capacity in many Oahu areas has been slow, impeding efforts to build more ADUs to alleviate the City's acute housing shortage; now, therefore,

BE IT RESOLVED by the Council of the City and County of Honolulu that it requests the City Administration to expeditiously upgrade the City's wastewater system to address sewer capacity problems, giving priority to those residential communities in which ADU building permits have been denied because of inadequate sewerage infrastructure; and



CITY COUNCIL
CITY AND COUNTY OF HONOLULU
HONOLULU, HAWAII

No. 17-193

RESOLUTION

BE IT FINALLY RESOLVED that copies of this resolution be transmitted to the Mayor, the Managing Director, the Acting Director of Planning and Permitting, and the Director of Environmental Services.

INTRODUCED BY:

[Handwritten signature]

DATE OF INTRODUCTION:

JUL 18 2017

Honolulu, Hawaii

Councilmembers